```
;; enscript -MLetter --font=Courier6 -
-columns=5 -r -B GemacsKeys -p out.ps

Gemacs function key index

Major Mode Bindings:
===== ==== ========
LFD             eval-print-last-sexp
ESC             Prefix Command
C-c             Prefix Command
TAB             lisp-indent-line
DEL             backward-delete-char-
                untabify

ESC TAB         lisp-complete-symbol
ESC C-x         eval-defun
ESC q           lisp-fill-paragraph
ESC C-q         indent-sexp
ESC q           lisp-fill-paragraph
ESC C-q         indent-sexp

Global Bindings:
====== ========
C-@             set-mark-command
C-a             beginning-of-line
C-b             backward-char
C-d             delete-char
C-e             end-of-line
C-f             forward-char
C-g             keyboard-quit
C-h             help-command
C-k             kill-line
C-l             recenter
RET             newline
C-n             next-line
C-o             open-line
C-p             previous-line
C-q             quoted-insert
C-r             isearch-backward
C-s             isearch-forward
C-t             transpose-chars
C-u             universal-argument
C-v             scroll-up
C-w             kill-region
C-x             Control-X-prefix
C-y             yank
C-z             iconify-or-deiconify
                -frame
C-]             abort-recursive-edit
C-_             undo

Iterators
=========
C--             negative-argument
C-9             digit-argument
C-8             digit-argument
C-7             digit-argument
C-6             digit-argument
C-5             digit-argument
C-4             digit-argument
C-3             digit-argument
C-2             digit-argument
C-1             digit-argument
C-0             digit-argument
C-/             undo

Help Functions
==== =========
C-h v           describe-variable
C-h w           where-is
C-h t           help-with-tutorial
C-h s           describe-syntax
C-h p           finder-by-keyword
C-h n           view-emacs-news
C-h C-n         view-emacs-news
C-h m           describe-mode
C-h l           view-lossage
C-h C-k         Info-goto-emacs-key
                -command-node
C-h C-f         Info-goto-emacs-
                command-node
C-h i           info
C-h f           describe-function
C-h d           describe-function
C-h k           describe-key
C-h c           describe-key-briefly
C-h b           describe-bindings
C-h a           command-apropos
C-h C-w         describe-no-warranty
C-h C-d         describe-distribution
C-h C-c         describe-copying
C-h ?           help-for-help
C-h C-h         help-for-help

Control-x Functions
========= =========
C-x C-b         list-buffers
C-x C-c         save-buffers-kill
                -emacs
C-x C-d         list-directory
C-x C-e         eval-last-sexp
C-x C-f         find-file
C-x TAB         indent-rigidly
C-x C-l         downcase-region
C-x C-n         set-goal-column
C-x C-o         delete-blank-lines
C-x C-p         mark-page
C-x C-q         vc-toggle-read-only
C-x C-r         find-file-read-only
C-x C-s         save-buffer
C-x C-t         transpose-lines
C-x C-u         upcase-region
C-x C-v         find-alternate-file
C-x C-w         write-file
C-x C-x         exchange-point-and
                -mark
C-x C-z         iconify-or-deiconify
                -frame
C-x ESC         Prefix Command

C-x $           set-selective-display
C-x '           expand-abbrev
C-x (           start-kbd-macro
C-x )           end-kbd-macro
C-x +           balance-windows
C-x -           shrink-window-if
                -larger-than-buffer
C-x .           set-fill-prefix
C-x /           point-to-register
C-x 0           delete-window
C-x 1           delete-other-windows
C-x 2           split-window
                -vertically
C-x 3           split-window
                -horizontally
C-x 4           ctl-x-4-prefix
C-x 5           ctl-x-5-prefix
C-x 6           Prefix Command
C-x ;           set-comment-column
C-x <           scroll-left
C-x =           what-cursor-position
C-x >           scroll-right
C-x X           Prefix Command
C-x [           backward-page
C-x ]           forward-page
C-x ^           enlarge-window
C-x `           next-error

C-x a           Prefix Command
C-x b           switch-to-buffer
C-x d           dired
C-x e           call-last-kbd-macro
C-x f           set-fill-column
C-x g           insert-register
C-x h           mark-whole-buffer
C-x i           insert-file
C-x j           jump-to-register
C-x k           kill-buffer
C-x l           count-lines-page
C-x m           mail
C-x n           Prefix Command
C-x o           other-window
C-x q           kbd-macro-query
C-x r           Prefix Command
C-x s           save-some-buffers
C-x u           advertised-undo
C-x v           Prefix Command
C-x x           copy-to-register
C-x {           shrink-window
                -horizontally
C-x }           enlarge-window
                -horizontally
C-x DEL         backward-kill-sentence

C-x ESC ESC     repeat-complex-command
C-x 4 C-o       display-buffer
C-x 4 b         switch-to-buffer
                -other-window
C-x 4 C-f       find-file-other
                -window
C-x 4 r         find-file-read
                -only-other-window
C-x 4 f         find-file-other-window
C-x 4 m         mail-other-window
C-x 4 .         find-tag-other-window
C-x 4 d         dired-other-window
C-x 4 a         add-change-log-entry
                -other-windo
C-x 5 o         other-frame
C-x 5 0         delete-frame
C-x 5 2         new-frame
C-x 5 r         find-file-read-only
                -other-frame
C-x 5 C-f       find-file-other-frame
C-x 5 f         find-file-other-frame
C-x 5 b         switch-to-buffer
                -other-frame
C-x 5 m         mail-other-frame
C-x 5 .         find-tag-other-frame
C-x 5 d         dired-other-frame
C-x 6 RET       tc-scroll-line
C-x 6 DEL       tc-scroll-down
C-x 6 SPC       tc-scroll-up
C-x 6 }         enlarge-window
                -horizontally
C-x 6 {         shrink-window
                -horizontally
C-x 6 s         tc-split
C-x 6 o         tc-associated-buffer
C-x 6 C-l       tc-recenter
C-x 6 e         tc-dissociate
C-x 6 b         tc-associate-buffer
C-x 6 2         tc-two-columns
C-x 6 1         tc-merge

C-x X q         top-level
C-x X w         edebug-where
C-x X u         edebug-unset
                -breakpoint
C-x X x         edebug-set-conditional
                -breakpoint
C-x X b         edebug-set-breakpoint
C-x X C         edebug-Continue-fast
C-x X c         edebug-continue
C-x X T         edebug-Trace-fast
C-x X t         edebug-trace
C-x X G         edebug-Go-nonstop
C-x X g         edebug-go
C-x X SPC       edebug-step-through
C-x X d         edebug-defun

C-x a '         expand-abbrev
C-x a e         expand-abbrev
C-x a -         inverse-add-global
                -abbrev
C-x a i         Prefix Command
C-x a +         add-mode-abbrev
C-x a g         add-global-abbrev
C-x a C-a       add-mode-abbrev
C-x a l         add-mode-abbrev

C-x n p         narrow-to-page
C-x n w         widen
C-x n n         narrow-to-region

C-x r f         frame-configuration
                -to-register
C-x r w         window-configuration
                -to-register
C-x r t         string-rectangle
C-x r o         open-rectangle
C-x r y         yank-rectangle
C-x r k         kill-rectangle
C-x r r         copy-rectangle
                -to-register
C-x r g         insert-register
C-x r i         insert-register
C-x r x         copy-to-register
C-x r s         copy-to-register
C-x r j         jump-to-register
C-x r SPC       point-to-register
C-x r C-SPC     point-to-register
C-x r C-@       point-to-register

C-x v =         vc-diff
C-x v v         vc-next-action
C-x v u         vc-revert-buffer
C-x v s         vc-create-snapshot
C-x v r         vc-retrieve-snapshot
C-x v l         vc-print-log
C-x v i         vc-register
C-x v h         vc-insert-headers
C-x v d         vc-directory
C-x v c         vc-cancel-version
C-x v a         vc-update-change-log

C-x a i l       inverse-add
                -mode-abbrev
C-x a i g       inverse-add
                -global-abbrev


Meta (= Escape) Functions
==== ========== =========
ESC C-@         mark-sexp
ESC C-a         beginning-of-defun
ESC C-b         backward-sexp
ESC C-c         exit-recursive-edit
ESC C-d         down-list
ESC C-e         end-of-defun
ESC C-f         forward-sexp
ESC C-h         mark-defun
ESC TAB         complete-tag
ESC LFD         indent-new-comment
                -line
ESC C-k         kill-sexp
ESC C-l         reposition-window
ESC C-n         forward-list
ESC C-o         split-line
ESC C-p         backward-list
ESC C-r         isearch-backward
                -regexp
ESC C-s         isearch-forward
                -regexp
ESC C-t         transpose-sexps
ESC C-u         backward-up-list
ESC C-v         scroll-other-window
ESC C-w         append-next-kill
ESC ESC         eval-expression
ESC C-\         indent-region
ESC SPC         just-one-space
ESC !           shell-command
ESC $           ispell-word
ESC %           query-replace
ESC '           abbrev-prefix-mark
ESC (           insert-parentheses
ESC )           move-past-close-and
                -reindent
ESC ,           tags-loop-continue
ESC -           negative-argument
ESC .           find-tag
ESC /           dabbrev-expand
ESC 0 .. ESC 9  digit-argument
ESC ;           indent-for-comment
ESC <           beginning-of-buffer
ESC =           count-lines-region
ESC >           end-of-buffer
ESC @           mark-word
ESC \           delete-horizontal
                -space
ESC ^           delete-indentation
ESC a           backward-sentence
ESC b           backward-word
ESC c           capitalize-word
ESC d           kill-word
ESC e           forward-sentence
ESC f           forward-word
ESC h           mark-paragraph
ESC i           tab-to-tab-stop
ESC j           indent-new-comment
                -line
ESC k           kill-sentence
ESC l           downcase-word
ESC m           back-to-indentation
ESC q           fill-paragraph
ESC r           move-to-window-line
ESC t           transpose-words
ESC u           upcase-word
ESC v           scroll-down
ESC w           kill-ring-save
ESC x           execute-extended
                -command
ESC y           yank-pop
ESC z           zap-to-char
ESC {           backward-paragraph
ESC |           shell-command-on
                -region
ESC }           forward-paragraph
ESC ~           not-modified
ESC DEL         backward-kill-word

ESC C-SPC       mark-sexp
ESC C--         negative-argument
ESC C-9         digit-argument
ESC C-8         digit-argument
ESC C-7         digit-argument
ESC C-6         digit-argument
ESC C-5         digit-argument
ESC C-4         digit-argument
ESC C-3         digit-argument
ESC C-2         digit-argument
ESC C-1         digit-argument
ESC C-0         digit-argument
```